FURTHER MATHEMATICS/MATHEMATICS (ELECTIVE)

AIMS OF THE SYLLABUS

The aims of the syllabus are to test candidates'

- (i) development of further conceptual and manipulative skills in Mathematics;
- (ii) understanding of an intermediate course of study which bridges the gap between Elementary Mathematics and Higher Mathematics;
- (iii) acquisition of aspects of Mathematics that can meet the needs of potential Mathematicians, Engineers, Scientists and other professionals.
- (iv) ability to analyse data and draw valid conclusion
- (v) logical, abstract and precise reasoning skills.

EXAMINATION SCHEME

There will be two papers, Papers 1 and 2, both of which must be taken.

PAPER 1: will consist of forty multiple-choice objective questions, covering the entire syllabus. Candidates will be required to answer all questions in $1\frac{1}{2}$ hours for 40 marks. The questions will be drawn from the sections of the syllabus as follows:

Pure Mathematics - 30 questions

Statistics and probability - 4 questions

Vectors and Mechanics - 6 questions

PAPER 2: will consist of two sections, Sections A and B, to be answered in $2\frac{1}{2}$ hours for 100 marks.

Section A will consist of eight compulsory questions that are elementary in type for 48 marks. The questions shall be distributed as follows:

Pure Mathematics - 4 questions

Statistics and Probability - 2 questions

Vectors and Mechanics - 2 questions

Section B will consist of seven questions of greater length and difficulty put into three

parts:Parts I, II and III as follows:

Part I: Pure Mathematics - 3 questions

Part II: Statistics and Probability - 2 questions

Part III: Vectors and Mechanics - 2 questions

Candidates will be required to answer four questions with at least one from each part for 52 marks.

DETAILED SYLLABUS

In addition to the following topics, more challenging questions may be set on topics in the General Mathematics/Mathematics (Core) syllabus.

In the column for CONTENTS, more detailed information on the topics to be tested is given while the limits imposed on the topics are stated under NOTES.

Topics which are marked with asterisks shall be tested in Section B of Paper 2 only.

KEY:

* Topics peculiar to Ghana only.

** Topics peculiar to Nigeria only

Topics	Content	Notes
I. Pure Mathematics		
(1) Sets	(i) Idea of a set defined by a property, Set notations and their meanings.	$(x : x \text{ is real}), \cup, \cap, \{\}, \notin, \in, \subset, \subseteq,$
	(ii) Disjoint sets, Universal set and complement of set	U (universal set) and A' (Complement of set A).
	(iii) Venn diagrams, Use of sets And Venn diagrams to solve problems.	More challenging problems involving union, intersection, the universal set, subset and complement of set.
	(iv) Commutative and Associative laws, Distributive properties over union and intersection.	Three set problems. Use of De Morgan's laws to solve related problems
(2) Surds	Surds of the form $\frac{a}{\sqrt{b}}$, $a\sqrt{b}$ and $a+b\sqrt{n}$ where a is rational, b is a positive integer and n is not a perfect square.	All the four operations on surds Rationalising the denominator of surds such as $\frac{a}{\sqrt{b}}$, $\frac{a+\sqrt{b}}{c-\sqrt{d}}$,

		$a+\sqrt{b}$
(3) Binary Operations		$\frac{a+\sqrt{b}}{\sqrt{c}-\sqrt{d}}$
	Properties:	Use of properties to solve
	Closure, Commutativity, Associativity and Distributivity,	related problems.
	Identity elements and inverses.	·
(4)	() 5 1 6 1	
(4) Logical Reasoning	(i) Rule of syntax: true or false statements,	Using logical reasoning to
	rule of logic applied to	determine the validity of
	arguments, implications and	compound statements involving
	deductions.	implications and connectivities. Include use of symbols: ~P
		$p \vee q, p \wedge q, p \Rightarrow q$
	(ii) The truth table	
		Use of Truth tables to deduce
		conclusions of compound statements. Include negation.
(5) Functions	(i) Domain and co-domain of a	_
	function.	The notation e.g. $f: X \rightarrow$
	(ii) One-to-one, onto, identity and	$3x+4$; $g: x \rightarrow x^2$; where $x \in \mathbf{R}$.
	constant mapping;	g / x / x , where x ca.
		Graphical representation of a
		function; Image and the range.
	(iii) Inverse of a function.	range.
		Determination of the inverse of
		a one-to-one function e.g. If
		f: $x \rightarrow sx + \frac{4}{3}$, the inverse
		relation f ⁻¹ : $x \rightarrow \frac{1}{3}x - \frac{4}{9}$ is also a
		function.
	(iv) Composite of functions.	Notation: $f \circ g(x) = f(g(x))$
		Restrict to simple algebraic
(6) 5 1		functions only.
(6) Polynomial Functions	(i) Linear Functions, Equations and Inequality	Recognition and sketching of
i uncuons	Tricquality	graphs of linear functions and
		equations.
		Gradient and intercepts forms of linear equations i.e.
		$ax + by + c = 0$; $y = mx + c$; $\frac{y}{a}$
		$+\frac{x}{h} = k$. Parallel and
		Perpendicular lines. Linear
		Inequalities e.g. $2x + 5y \le 1$,
		$x + 3y \ge 3$

(ii) Quadratic Functions, Equations and Inequalities

Graphical representation of linear inequalities in two variables. Application to Linear Programming.

Recognition and sketching graphs of quadratic functions e.g. f: $x \rightarrow ax^2 + bx + c$, where a, b and $c \in R$. Identification of vertex, axis of symmetry, maximum and minimum, increasing and decreasing parts of a parabola. Include values of x for which f(x) > 0 or f(x) < 0. Solution of simultaneous equations: one linear and one quadratic. Method of completing the squares for solving quadratic equations. Express $f(x) = ax^2 + bx + c$ in the form $f(x) = a(x + d)^2 + k$, where k is the maximum or minimum value. Roots of quadratic equations – equal roots (b^2 - 4ac = 0), real and unequal roots ($b^2 - 4ac > 0$), imaginary roots ($b^2 - 4ac < 0$); sum and product of roots of a quadratic equation e.g. if the roots of the equation $3x^2 + 5x$ + 2 = 0 are α and β , form the equation whose roots are $\frac{1}{\alpha}$ and $\frac{1}{\beta}$. Solving quadratic

(ii) Cubic Functions and Equations

Recognition of cubic functions e.g. f: $x \rightarrow ax^3 + bx^2 + cx + d$. Drawing graphs of cubic functions for a given range. Factorization of cubic expressions and solution of cubic equations. Factorization of $a^3 \pm b^3$. Basic operations on polynomials, the remainder and factor theorems i.e. the

inequalities.

		remainder when $f(x)$ is divided by $f(x - a) = f(a)$. When $f(a)$ is zero, then $(x - a)$ is a factor of f(x).
(7) Rational Functions	 (i) Rational functions of the form Q(x) = f(x) / g(x), g(x) ≠ 0. where g(x) and f(x) are polynomials. e.g. f:x → ax+b / px²+qx+r (ii) Resolution of rational functions into partial fractions. 	g(x) may be factorised into linear and quadratic factors (Degree of Numerator less than that of denominator which is less than or equal to 4). The four basic operations. Zeros, domain and range, sketching not required.
(8) Indices and Logarithmic Functions	(i) Indices	Laws of indices. Application of the laws of indices to evaluating products, quotients, powers and nth root. Solve equations involving indices.
	(ii) Logarithms	Laws of Logarithms. Application of logarithms in calculations involving product, quotients, power (log a^n), nth roots (log \sqrt{a} , log $a^{1/n}$). Solve equations involving logarithms (including change of base). Reduction of a relation such as $y = ax^b$, (a,b are constants) to a linear form: $log_{10}y = b log_{10}x + log_{10}a$. Consider other examples such as $log ab^x = log a + x log b$;

		log (ab) ^x = x(log a + log b) = x log ab *Drawing and interpreting graphs of logarithmic functions e.g. y = ax ^b . Estimating the values of the constants a and b from the graph
(9) Permutation And Combinations.	(i) Simple cases of arrangements(ii) Simple cases of selection of objects.	Knowledge of arrangement and selection is expected. The notations: ${}^{n}C_{r}$, $\binom{n}{r}$ and ${}^{n}P_{r}$ for selection and arrangement respectively should be noted and used. e.g. arrangement of students in a row, drawing balls from a box with or without replacements. ${}^{n}p_{r} = \underline{n!}_{(n-r)!}$ ${}^{n}C_{r} = \underline{n!}_{r!(n-r)!}$
(10) Binomial Theorem	Expansion of $(a + b)^n$. Use of $(1+x)^n \approx 1+nx$ for any rational n, where x is sufficiently small. e.g $(0.998)^{1/3}$	Use of the binomial theorem for positive integral index only. Proof of the theorem not required.
(11) Sequences and Series	(i) Finite and Infinite sequences. (ii) Linear sequence/Arithmetic Progression (A.P.) and Exponential sequence/Geometric Progression (G.P.)	e.g. (i) u ₁ , u ₂ ,, u _n . (ii) u ₁ , u ₂ , Recognizing the pattern of a sequence. e.g. (i) U _n = U ₁ + (n-1)d, where d is the common difference. (ii) U _n = U ₁ r ⁿ⁻¹ where r is the common ratio.
	(iii) Finite and Infinite series.(iv) Linear series (sum of A.P.) and exponential series (sum of G.P.)	(i) $U_1 + U_2 + U_3 + + U_n$ (ii) $U_1 + U_2 + U_3 +$ (i) $S_n = \frac{n}{2}(U_1 + U_n)$ (ii) $S_n = \frac{n}{2}[2a + (n-1)d]$

(12)Matrices and	*(v) Recurrence Series (i) Matrices	(iii) $S_n = U_1(1-r^n)$, $r < 1$ (iv) $S_n = U_1(r^n-1)$, $r > 1$. (v) Sum to infinity $(S) = \frac{a}{1-r}$ $r < 1$ Generating the terms of a recurrence series and finding an explicit formula for the sequence e.g. $0.9999 = \frac{9}{10} + \frac{9}{10^2} + \frac{9}{10^3} + \frac{9}{10^4} + \dots$
Linear	(i) Fiderices	
Transformation	(ii) Determinants	Concept of a matrix – state the order of a matrix and indicate the type. Equal matrices – If two matrices are equal, then their corresponding elements are equal. Use of equality to find missing entries of given matrices Addition and subtraction of matrices (up to 3 x 3 matrices). Multiplication of a matrix by a scalar and by a matrix (up to 3 x 3 matrices)
		Evaluation of determinants of 2 x 2 matrices. **Evaluation of determinants of 3 x 3 matrices.
	(iii) Inverse of 2 x 2 Matrices	Application of determinants to solution of simultaneous linear equations.
		e.g. If $A = \begin{pmatrix} a & b \\ c & d \end{pmatrix}$, then
	(iv) Linear Transformation	$A^{-1} = \frac{1}{ad - bc} \stackrel{d}{-b} \begin{pmatrix} a \\ b \end{pmatrix}$
		Finding the images of points under given linear transformation

		Determining the matrices of given linear transformation. Finding the inverse of a linear transformation (restrict to 2 x 2 matrices). Finding the composition of
		linear transformation. Recognizing the Identity transformation. (i) $\begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix}$ reflection in the x - axis (ii) $\begin{pmatrix} -1 & 0 \\ 0 & 1 \end{pmatrix}$ reflection in the y - axis (iii) $\begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix}$ reflection in the line
		$y = x$ (iv) $\begin{cases} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{cases}$ for anticlockwise rotation through θ about the origin. (v) $\begin{cases} \cos 2\theta & \sin 2\theta \\ \sin 2\theta & -\cos 2\theta \end{cases}$, the general matrix for reflection in a line through the origin making an angle θ with the positive x-axis. *Finding the equation of the image of a line under a given linear transformation
(13)Trigonometry	(i) Trigonometric Ratios and Rules	Sine, Cosine and Tangent of general angles (0°≤0≤360°). Identify trigonometric ratios of angles 30°, 45°, 60° without use of tables. Use basic trigonometric ratios and reciprocals to prove given trigonometric identities. Evaluate sine, cosine and tangent of negative angles. Convert degrees into radians and vice versa. Application to real life situations such as heights and distances, perimeters, solution of triangles, angles of elevation and depression,

(ii) Compound and Multiple Angles. (iii) Compound and Multiple Angles. (iii) Compound and Multiple Angles. (iii) Trigonometric Functions and Equations (iiii) Trigonometric Functions and Equations to Cartesian Coordinates of points (iiii) Trigonometric Functions and Equations and Functions of the form asinx + bcox x = 4. (iiii) Trigonometric Equations and Equations and Equations and Functions of the form asinx + bcox x = 4. (iv) Equations (iv) Eq		1	
(ii) Compound and Multiple Angles.			
Simple cases only. Simple cases only. Simple cases only. Sin $(A\pm B)$, $\cos (A\pm B)$, $\tan(A\pm B)$. Use of compound angles in simple identities and solution of trigonometric ratios e.g. finding $\sin 75^\circ$, $\cos 150^\circ e^\circ t$ c, finding tan 45° without using mathematical tables or calculators and leaving your answer as a surd, etc. Use of simple trigonometric identities to find trigonometric ratios of compound and multiple angles (up to $3A$). Relate trigonometric ratios to Cartesian Coordinates of points (x, y) on the circle $x^2 + y^2 = r^2$. fix $\rightarrow \sin x$, $g: x \rightarrow a \cos x + b \sin x = c$. Graphs of sine, cosine, tangent and functions of the form asinx + bcos x. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin $x + b\cos x = k$. Solve trigonometric equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express f(x) = asin x + bcos x in the form Rcos (x $\pm \alpha$) or Rsin (x $\pm \alpha$) for $0^\circ \le \alpha \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions. (14)Co-ordinate Geometry Mid-point of a line segment			
(iii) Compound and Multiple Angles.			
Angles.			Simple cases only.
Angles.		(ii) Compound and Multiple	
tan($A\pm B$). Use of compound angles in simple identities and solution of trigonometric ratios e.g. finding sin 75°, cos 150°etc, finding tan 45° without using mathematical tables or calculators and leaving your answer as a surd, etc. Use of simple trigonometric identities to find trigonometric ratios of compound and multiple angles (up to 3A). Relate trigonometric ratios to Cartesian Coordinates of points (x, y) on the circle $x^2+y^2=r^2$. fix \rightarrow sin x, g; $x \rightarrow$ a cos $x + b$ sin $x = c$. Graphs of sine, cosine, tangent and functions of the form asinx $x + b$ cos x . Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin $x + b$ cos $x = k$. Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^{\circ} \le x \le 360^{\circ}$. *Express f(x) = $\sin x + b$ cos x in the form Ross ($x \pm a$) or Rsin ($x \pm a$) for $0^{\circ} \le a \le 90^{\circ}$ and use the result to calculate the minimum and maximum points of a given functions.		, , ,	$\sin (A \pm B),\cos (A \pm B),$
Use of compound angles in simple identities and solution of trigonometric ratios e.g. finding $\sin 75^\circ$, $\cos 150^\circ$ etc, finding $\tan 45^\circ$ without using mathematical tables or calculators and leaving your answer as a surd, etc. Use of simple trigonometric identities to find trigonometric ratios of compound and multiple angles (up to 3A). (iii) Trigonometric Functions and Equations Relate trigonometric ratios to Cartesian Coordinates of points (x, y) on the circle $x^2 + y^2 = r^2$. fix $\rightarrow \sin x$, g: $x \rightarrow a \cos x + b \sin x = c$. Graphs of sine, cosine, tangent and functions of the form $a\sin x + b\cos x$. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. $a\sin x + b\cos x = k$. Solve trigonometric equations e.g. $a\sin x + b\cos x = k$. Solve trigonometric equations up to quadratic equations e.g. $a\sin x + b\cos x = k$. Solve trigonometric equations e.g. $a\sin x + b\cos x = k$. Solve trigonometric equations e.g. $a\sin x + b\cos x = k$. Solve trigonometric equations e.g. $a\sin x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equations e.g. $a\cos x + b\cos x = k$. Solve trigonometric equa			
simple identities and solution of trigonometric ratios e.g., finding sin 75°, cos 150°etc, finding tan 45° without using mathematical tables or calculators and leaving your answer as a surd, etc. Use of simple trigonometric identities to find trigonometric ratios of compound and multiple angles (up to 3A). (iii) Trigonometric Functions and Equations Relate trigonometric ratios to Cartesian Coordinates of points (x, y) on the circle $x^2 + y^2 = r^2$. $f:x \rightarrow \sin x$, $g: x \rightarrow a \cos x + b \sin x = c$. Graphs of sine, cosine, tangent and functions of the form asinx $+ b \cos x$. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin $x + b \cos x = k$. Solve trigonometric equations e.g. $2 \sin^2 x - \sin x - 3 = 0$, for $0^{\circ} \le x \le 360^{\circ}$. *Express $f(x) = a \sin x + b \cos x$ in the form $a \cos (x + a)$ or $a \cos x = k = 1$. Solve trigonometric equations e.g. $a \cos x + b \cos x = k = 1$. Solve trigonometric equations e.g. $a \cos x + b \cos x = k = 1$. Solve trigonometric equations e.g. $a \cos x + b \cos x = k = 1$. Solve trigonometric equations e.g. $a \cos x + b \cos x = k = 1$. Solve trigonometric equations of simple trigonometric equations of an $a \cos x + b \cos x = k = 1$. Solve trigonometric equations of simple trigonometric equations of a given functions.			
trigonometric ratios e.g. finding sin 75°, cos 150°etc, finding tan 45° without using mathematical tables or calculators and leaving your answer as a surd, etc. Use of simple trigonometric identities to find trigonometric ratios of compound and multiple angles (up to 3A). Relate trigonometric ratios to Cartesian Coordinates of points (x, y) on the circle $x^2 + y^2 = r^2$. f: $x \to \sin x$, g: $x \to a \cos x + b \sin x = c$. Graphs of sine, cosine, tangent and functions of the form asin $x + b \cos x$. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations up to quadratic equations up to quadratic equations up to quadratic equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form $R\cos (x \pm \alpha)$ or $R\sin (x \pm \alpha)$ for $0^\circ \le \alpha \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions. (14) Co-ordinate Geometry			
sin 75° , cos 150° etc, finding tan 45° without using mathematical tables or calculators and leaving your answer as a surd, etc. Use of simple trigonometric identities to find trigonometric ratios of compound and multiple angles (up to $3A$). Relate trigonometric ratios to Cartesian Coordinates of points (x, y) on the circle $x^2 + y^2 = r^2$. f:x \Rightarrow sin x, g: $x \Rightarrow$ a cos $x + b$ sin $x = c$. Graphs of sine, cosine, tangent and functions of the form asinx $+ b$ bcos $x = a$. Solve trigonometric equations e.g. asin $x + b$ bcos $x = a$. Solve trigonometric equations e.g. a sin $x + b$ bcos $x = a$. Solve trigonometric equations up to quadratic equations e.g. a sin a and a or a sin a and a or a sin a sin a and a or a sin the form Rcos (a sin a			•
(iii) Trigonometric Functions and Equations (iii) Trigonometric Functions and Equations (iii) Trigonometric Functions and Equations (iiii) Trigonometric Functions and Equations (iiiii) Trigonometric Functions and Equations (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii			
tables or calculators and leaving your answer as a surd, etc. Use of simple trigonometric identities to find trigonometric ratios of compound and multiple angles (up to 3A). Relate trigonometric ratios to Cartesian Coordinates of points (x, y) on the circle $x^2 + y^2 = r^2$. $f: x \to sin x$, $g: x \to a \cos x + b \sin x = c$. Graphs of sine, cosine, tangent and functions of the form asinx $+ b\cos x$. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin $x + b\cos x = k$. Solve trigonometric equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form $R\cos (x \pm a)$ or $R\sin (x \pm a)$ for $0^\circ \le a \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions.			
leaving your answer as a surd, etc. Use of simple trigonometric identities to find trigonometric ratios of compound and multiple angles (up to 3A). Relate trigonometric ratios to Cartesian Coordinates of points (x,y) on the circle $x^2 + y^2 = r^2$. $f:x \rightarrow \sin x$, $g: x \rightarrow a \cos x + b \sin x = c$. Graphs of sine, cosine, tangent and functions of the form asinx + bcos x. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin $x + b\cos x = k$. Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form $R\cos (x \pm a)$ or $R\sin (x \pm a)$ for $0^\circ \le a \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions.			
(iii) Trigonometric Functions and Equations			
(iii) Trigonometric Functions and Equations			= -
(iii) Trigonometric Functions and Equations			
ratios of compound and multiple angles (up to 3A). Relate trigonometric ratios to Cartesian Coordinates of points (x, y) on the circle $x^2 + y^2 = r^2$. f:x \rightarrow sin x, g: $x \rightarrow$ a cos x + b sin x = c. Graphs of sine, cosine, tangent and functions of the form asinx + bcos x. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin x + bcos x = k. Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^0 \le x \le 360^\circ$. *Express f(x) = asin x + bcos x in the form Rcos (x $\pm \alpha$) or Rsin (x $\pm \alpha$) for $0^\circ \le \alpha \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions. (14)Co-ordinate Geometry Mid-point of a line segment			
(iii) Trigonometric Functions and Equations			_
(iii) Trigonometric Functions and Equations Relate trigonometric ratios to Cartesian Coordinates of points (x, y) on the circle $x^2 + y^2 = r^2$. $f: x \to \sin x$, $g: x \to a \cos x + b \sin x = c$. Graphs of sine, cosine, tangent and functions of the form asinx + bcos x. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin $x + b \cos x = k$. Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a \sin x + b \cos x$ in the form $R \cos (x \pm a)$ or $R \sin (x \pm a)$ for $0^\circ \le a \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions. (14)Co-ordinate Geometry Mid-point of a line segment			_
Relate trigonometric ratios to Cartesian Coordinates of points (x,y) on the circle $x^2+y^2=r^2$. $f:x\to\sin x$, $g:x\to a\cos x+b\sin x=c$. Graphs of sine, cosine, tangent and functions of the form asinx + bcos x. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin $x+b\cos x=k$. Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x-\sin x-3=0$, for $0^o\le x\le 360^o$. *Express $f(x)=a\sin x+b\cos x$ in the form $R\cos (x\pm a)$ or $R\sin (x\pm a)$ for $0^o\le a\le 90^o$ and use the result to calculate the minimum and maximum points of a given functions.		(iii) Trigonomotric Functions and	muluple angles (up to 3A).
Relate trigonometric ratios to Cartesian Coordinates of points (x, y) on the circle $x^2 + y^2 = r^2$. $f:x \to \sin x$, $g: x \to a \cos x + b \sin x = c$. Graphs of sine, cosine, tangent and functions of the form asinx + bcos x. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin $x + b\cos x = k$. Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form $a\cos x = a\cos x = b\cos x$. In the form $a\cos x = a\cos x = b\cos x = b\cos x$. The form $a\cos x = a\cos x = b\cos x = b\cos$		` ' =	
Cartesian Coordinates of points (x, y) on the circle $x^2 + y^2 = r^2$. $f:x \rightarrow \sin x$, $g: x \rightarrow a \cos x + b \sin x = c$. Graphs of sine, cosine, tangent and functions of the form asinx + bcos x. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin $x + b\cos x = k$. Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form $f(x) = a\cos x + b\cos x$ in the form		Equations	Delete tripe a sector of the tr
$(x, y) \text{ on the circle } x^2 + y^2 = r^2.$ $f:x \to \sin x,$ $g: x \to a \cos x + b \sin x = c.$ $Graphs \text{ of sine, cosine, tangent}$ and functions of the form asinx + bcos x. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin $x + b\cos x = k$. Solve trigonometric equations up to quadratic equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0, \text{ for } 0^\circ \le x \le 360^\circ.$ *Express $f(x) = a\sin x + b\cos x$ in the form $R\cos (x \pm \alpha)$ or $R\sin (x \pm \alpha)$ for $0^\circ \le \alpha \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions.			
$\begin{array}{c} \text{f:x} \rightarrow \sin x, \\ \text{g: x} \rightarrow \text{a cos x} + \text{b sin x} = \text{c.} \\ \text{Graphs of sine, cosine, tangent} \\ \text{and functions of the form} \\ \text{asinx} + \text{bcos x}. \text{ Identifying} \\ \text{maximum and minimum point,} \\ \text{increasing and decreasing} \\ \text{portions. Graphical solutions of} \\ \text{simple trigonometric equations} \\ \text{e.g. asin x} + \text{bcos x} = \text{k.} \\ \text{Solve trigonometric equations} \\ \text{up to quadratic equations e.g.} \\ 2\sin^2 x - \sin x - 3 = 0, \text{ for } 0^\circ \leq x \\ \leq 360^\circ. \\ \text{*Express f(x)} = \text{asin x} + \text{bcos x} \\ \text{in the form Rcos } (\text{x} \pm \alpha) \text{ or Rsin} \\ (\text{x} \pm \alpha) \text{ for } 0^\circ \leq \alpha \leq 90^\circ \text{and use} \\ \text{the result to calculate the} \\ \text{minimum and maximum points} \\ \text{of a given functions.} \\ \\ \text{(14)Co-ordinate} \\ \text{Geometry} \\ \\ \text{Mid-point of a line segment} \\ \\ \\ \\ \text{Mid-point of a line segment} \\ \\ \\ \\ \\ \text{Mid-point of a line segment} \\ \\ \\ \\ \\ \text{Mid-point of a line segment} \\ \\ \\ \\ \\ \\ \\ \text{Mid-point of a line segment} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$			
g: $x \to a \cos x + b \sin x = c$. Graphs of sine, cosine, tangent and functions of the form asinx + bcos x. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin $x + b\cos x = k$. Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form $R\cos (x \pm \alpha)$ or $R\sin (x \pm \alpha)$ for $0^\circ \le \alpha \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions. (14)Co-ordinate Geometry (i) Straight Lines			
Graphs of sine, cosine, tangent and functions of the form asinx + bcos x. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin x + bcos x = k. Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form $R\cos (x \pm \alpha)$ or $R\sin (x \pm \alpha)$ for $0^\circ \le \alpha \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions. (14)Co-ordinate Geometry (i) Straight Lines			•
and functions of the form asinx $+$ bcos x . Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin $x +$ bcos $x = k$. Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form Rcos $(x \pm \alpha)$ or Rsin $(x \pm \alpha)$ for $0^\circ \le \alpha \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions. (14)Co-ordinate Geometry (i) Straight Lines Mid-point of a line segment			-
asinx + bcos x. Identifying maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin x + bcos x = k. Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form $a\cos x + b\cos x = 0$ for $a\cos x +$			
maximum and minimum point, increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin $x + b\cos x = k$. Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form $R\cos (x \pm \alpha)$ or $R\sin (x \pm \alpha)$ for $0^\circ \le \alpha \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions. (14)Co-ordinate Geometry (i) Straight Lines Mid-point of a line segment			
increasing and decreasing portions. Graphical solutions of simple trigonometric equations e.g. asin $x + b\cos x = k$. Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form Rcos $(x \pm \alpha)$ or Rsin $(x \pm \alpha)$ for $0^\circ \le \alpha \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions. (14)Co-ordinate Geometry (i) Straight Lines Mid-point of a line segment			
portions. Graphical solutions of simple trigonometric equations e.g. asin $x + b\cos x = k$. Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form $R\cos(x \pm \alpha)$ or $R\sin(x \pm \alpha)$ for $0^\circ \le \alpha \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions. (14)Co-ordinate Geometry Mid-point of a line segment			•
simple trigonometric equations e.g. asin $x + bcos x = k$. Solve trigonometric equations up to quadratic equations e.g. $2sin^2x - sin x - 3 = 0$, for $0^{\circ} \le x \le 360^{\circ}$. *Express $f(x) = asin x + bcos x$ in the form Rcos $(x \pm \alpha)$ or Rsin $(x \pm \alpha)$ for $0^{\circ} \le \alpha \le 90^{\circ}$ and use the result to calculate the minimum and maximum points of a given functions. (14)Co-ordinate Geometry Mid-point of a line segment			increasing and decreasing
e.g. $a\sin x + b\cos x = k$. Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form $R\cos (x \pm \alpha)$ or $R\sin (x \pm \alpha)$ for $0^\circ \le \alpha \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions. (i) Straight Lines Geometry Mid-point of a line segment			portions. Graphical solutions of
Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form $R\cos (x \pm \alpha)$ or $R\sin (x \pm \alpha)$ for $0^\circ \le \alpha \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions. (14)Co-ordinate Geometry Mid-point of a line segment			simple trigonometric equations
Solve trigonometric equations up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form $R\cos (x \pm \alpha)$ or $R\sin (x \pm \alpha)$ for $0^\circ \le \alpha \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions. (14)Co-ordinate Geometry Mid-point of a line segment			e.g. asin $x + b\cos x = k$.
up to quadratic equations e.g. $2\sin^2 x - \sin x - 3 = 0$, for $0^\circ \le x \le 360^\circ$. *Express $f(x) = a\sin x + b\cos x$ in the form $R\cos(x \pm \alpha)$ or $R\sin(x \pm \alpha)$ for $0^\circ \le \alpha \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions. (14)Co-ordinate Geometry (i) Straight Lines Mid-point of a line segment			3
$2\sin^2 x - \sin x - 3 = 0, \text{ for } 0^\circ \le x$ $\le 360^\circ.$ *Express $f(x) = a\sin x + b\cos x$ in the form $R\cos(x \pm \alpha)$ or $R\sin(x \pm \alpha)$ for $0^\circ \le \alpha \le 90^\circ$ and use the result to calculate the minimum and maximum points of a given functions. (i) Straight Lines Geometry Mid-point of a line segment			
$ \leq 360^{\circ}. \\ *Express f(x) = asin x + bcos x \\ in the form Rcos (x \pm \alpha) or Rsin (x \pm \alpha) for 0^{\circ} \leq \alpha \leq 90^{\circ} and use the result to calculate the minimum and maximum points of a given functions. $			1
*Express $f(x) = a\sin x + b\cos x$ in the form $R\cos (x \pm \alpha)$ or $R\sin (x \pm \alpha)$ for $0^{\circ} \le \alpha \le 90^{\circ}$ and use the result to calculate the minimum and maximum points of a given functions. (14)Co-ordinate Geometry (i) Straight Lines Mid-point of a line segment			· · · · · · · · · · · · · · · · · · ·
in the form $\operatorname{Rcos}(x \pm \alpha)$ or $\operatorname{Rsin}(x \pm \alpha)$ for $0^{\circ} \le \alpha \le 90^{\circ}$ and use the result to calculate the minimum and maximum points of a given functions. (14)Co-ordinate Geometry (i) Straight Lines Mid-point of a line segment			
$(14) \mbox{Co-ordinate} \mbox{Geometry} \mbox{ (i) Straight Lines} \mbox{ (i) Straight Lines} \mbox{ (ii) Straight Lines} \mbox{ (iii) Straight Lines} \mbox{ (iiii) Straight Lines} (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii$			
(14)Co-ordinate Geometry (i) Straight Lines Mid-point of a line segment			
(14)Co-ordinate Geometry (i) Straight Lines Mid-point of a line segment			`
(14)Co-ordinate Geometry (i) Straight Lines Mid-point of a given functions. Mid-point of a line segment			
(14)Co-ordinate (i) Straight Lines Geometry Mid-point of a line segment			_
Geometry Mid-point of a line segment	(14)Co-ordinate	(i) Straight Lines	or a given functions.
Mid-point of a line segment	* *	(1) Straight Lines	
	Geometry		Mid point of a line same
Coordinates of points which			
			Coordinates of points which

divides a given line in a given ratio. Distance between two points; Gradient of a line; Equation of a line: (i) Intercept form; (ii) Gradient form; Conditions for parallel and perpendicular lines. Calculate the acute angle between two intersecting lines e.g. if m₁ and m₂ are the gradients of two intersecting lines, then $\tan \theta = \frac{m_1 - m_2}{1 + m_1 m_2}$. If $m_1m_2 = -1$, then the lines are perpendicular. *The distance from an external point $P(x_1, y_1)$ to a given line ax + by + c using the formula $d = \left| \frac{ax_1 + by_1 + c}{\sqrt{a^2 + b^2}} \right|.$ (ii) Conic Sections Loci of variable points which move under given conditions Equation of a circle: (i) Equation in terms of centre, (a, b), and radius, r, $(x - a)^2 + (y - b)^2 = r^2;$ (ii) The general form: $x^2+y^2+2gx+2fy+c = 0$, where (-g, -f) is the centre and radius, $r = \sqrt{a^2 + b^2 - c}$. Tangents and normals to circles Equations of parabola in rectangular Cartesian coordinates ($y^2 = 4ax$, include parametric equations (at², at)). Finding the equation of a tangent and normal to a parabola at a given point. *Sketch graphs of given parabola and find the equation (15)Differentiation of the axis of symmetry. (i) The idea of a limit (i) Intuitive treatment of limit.

(ii) The derivative of a function
 (ii) The derivative of a function (iii) Its meaning and its determination from first principles (simple cases only). e.g. axⁿ + b, n ≤ 3, (n ∈ I) e.g. ax^m - bx^{m-1} ++k, where m ∈ I, k is a constant. (iv) Differentiation of trigonometric Functions (v) Product and quotient rules. Differentiation of implicit functions such as ax² + by² = c (vi) Differentiation of Transcendental Functions (vii) Second order derivatives and Rates of change and small changes (Δx), Concept of Maxima and Minima (ii) Its meaning and its determination from first principles (simple cases only). e.g. ax^m - bx^{m-1} ++k, where m ∈ I, k is a constant. e.g. sin x, y = a sin x ± b cos x. Where a, b are constants. including polynomials of the form (a + bxⁿ)^m. e.g. y = e^{ax}, y = log 3x, y = ln x (ii) The equation of a tangent to
 (ii) The derivative of a function (iii) Its meaning and its determination from first principles (simple cases only). e.g. axⁿ + b, n ≤ 3, (n ∈ I) e.g. ax^m - bx^{m-1} ++k, where m ∈ I, k is a constant. (iv) Differentiation of trigonometric Functions (v) Product and quotient rules. Differentiation of implicit functions such as ax² + by² = c **(vi) Differentiation of Transcendental Functions (vii) Second order derivatives and Rates of change and small changes (Δx), Concept of Maxima and Minima (ii) Its meaning and its determination from first principles (simple cases only). e.g. ax^m - bx^{m-1} ++k, where m ∈ I, k is a constant. e.g. sin x, y = a sin x ± b cos x. Where a, b are constants. including polynomials of the form (a + bxⁿ)^m. e.g. y = e^{ax}, y = log 3x, y = ln x (ii) Its meaning and its determination from first principles (simple cases only). e.g. ax^m - bx^{m-1} ++k, where m ∈ I, k is a constant. e.g. sin x, y = a sin x ± b cos x. Where a, b are constants. including polynomials of the form (a + bxⁿ)^m. (iii) Its meaning and its determination from first principles (simple cases only). e.g. ax^m - bx^{m-1} ++k, where m ∈ I, k is a constant. e.g. sin x, y = a sin x ± b cos x. Where a, b are constants.
determination from first principles (simple cases only). e.g. $ax^n + b$, $n \le 3$, $(n \in I)$ e.g. $ax^m - bx^{m-1} + + k$, where $m \in I$, k is a constant. (iv) Differentiation of trigonometric Functions (v) Product and quotient rules. Differentiation of implicit functions such as $ax^2 + by^2 = c$ **(vi) Differentiation of Transcendental Functions **(vi) Second order derivatives and Rates of change and small changes (Δx) , Concept of Mayima and Minima (iii) Differentiation for form first principles (simple cases only). e.g. $ax^m - bx^{m-1} + + k$, where $m \in I$, k is a constant. e.g. $sin x, y = a sin x \pm b cos x$. Where a , b are constants. including polynomials of the form $(a + bx^n)^m$.
(iii)Differentiation of polynomials $ (iv) \ \text{Differentiation of trigonometric} \\ \text{Functions} \\ (v) \ \text{Product and quotient rules.} \\ \text{Differentiation of implicit} \\ \text{functions such as} \\ \text{ax}^2 + \text{by}^2 = \text{c} \\ **(vi) \ \text{Differentiation of} \\ \text{Transcendental Functions} \\ (vii) \ \text{Second order derivatives and} \\ \text{Rates of change and small} \\ \text{changes } (\Delta x), \ \text{Concept of} \\ \text{Maxima and Minima} \\ \\ \text{principles (simple cases only).} \\ e.g. \ \text{ax}^n + \text{b, n} \leq 3, \ \text{(n} \in I) \\ e.g. \ \text{ax}^m - \text{bx}^{m-1} + + k, \ \text{where} \\ m \in I, \ \text{k is a constant.} \\ e.g. \ \text{sin } x, \ y = \text{a sin } x \pm \text{b cos} \\ x. \ \text{Where a, b are constants.} \\ \text{including polynomials of the} \\ \text{form } (\text{a} + \text{b}x^n)^m. \\ \text{e.g. } y = \text{e}^{\text{ax}}, \ y = \text{log } 3x, \\ y = \text{ln } x \\ \text{(i) The equation of a tangent to} \\ \text{(i) The equation of a tangent to} \\ \text{(i) The equation of a tangent to} \\ \text{(ii) The equation of a tangent to} \\ \text{(iii)} \\ \text{(iiii)} \\ \text{(iiiii)} \\ \text{(iiiii)} \\ \text{(iiiii)} \\ \text{(iiiiiii)} \\ (iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii$
(iii)Differentiation of polynomials $ \begin{array}{ll} \text{only}. \\ \text{e.g. } \text{ax}^n + \text{b, } \text{n} \leq 3, \ (\text{n} \in I) \\ \text{e.g. } \text{ax}^m - \text{bx}^{m-1} + \dots + \text{k, where} \\ \text{m} \in I, \text{k is a constant.} \\ \text{e.g. } \sin x, \text{y} = \text{a } \sin x \pm \text{b } \cos x \\ \text{where a, b are constants.} \\ \text{only}. \\ \text{e.g. } \text{ax}^m - \text{bx}^{m-1} + \dots + \text{k, where} \\ \text{m} \in I, \text{k is a constant.} \\ \text{e.g. } \sin x, \text{y} = \text{a } \sin x \pm \text{b } \cos x \\ \text{where a, b are constants.} \\ \text{including polynomials of the } \\ \text{form } (\text{a} + \text{bx}^n)^m. \\ \text{**(vi) Differentiation of} \\ \text{Transcendental Functions} \\ \text{**(vii) Second order derivatives and} \\ \text{Rates of change and small} \\ \text{changes } (\Delta x), \text{ Concept of} \\ \text{Maxima and Minima} \\ \text{(i) The equation of a tangent to} \\ \end{array} $
(iii) Differentiation of polynomials (iv) Differentiation of trigonometric Functions (v) Product and quotient rules. Differentiation of implicit functions such as $ax^2 + by^2 = c$ **(vi) Differentiation of Transcendental Functions **(vi) Second order derivatives and Rates of change and small changes (Δx), Concept of Maxima and Minima e.g. $ax^n + b$, $n \le 3$, ($n \in I$) e.g. $ax^n + b$, $n \le I$, $k = I$ is a constant. e.g. $ax^n + b$, $n \le I$ is a constant. e.g. $ax^n + b$, $n \le I$ is a constant. e.g. $ax^n + b$, $n \le I$ is a constant. e.g. $ax^n + b$, $n \le I$ is a constant. e.g. $ax^n + b$, $ax = I$ is a constant. e.g. $ax^n + b$, $ax = I$ is a constant. e.g. $ax^n + b$, $ax = I$ is a constant. e.g. $ax^n + b$ is a constant. e.g. a
 (iv) Differentiation of trigonometric Functions (v) Product and quotient rules. Differentiation of implicit functions such as ax² + by² = c **(vi) Differentiation of Transcendental Functions (vii) Second order derivatives and Rates of change and small changes (Δx), Concept of Maxima and Minima e.g. ax² - bx³¹++k, where m ∈ I, k is a constant. e.g. sin x, y = a sin x ± b cos x. Where a, b are constants. including polynomials of the form (a + bx³)™. e.g. y = a sin x ± b cos x. Where a, b are constants. including polynomials of the form (a + bx³)™. (i) The equation of a tangent to
(iv) Differentiation of trigonometric Functions (v) Product and quotient rules. Differentiation of implicit functions such as $ax^2 + by^2 = c$ **(vi) Differentiation of Transcendental Functions **(vi) Second order derivatives and Rates of change and small changes (Δx), Concept of Maxima and Minima e.g. $ax^m - bx^{m-1} + + k$, where $m \in I$, k is a constant. e.g. $sin x, y = a sin x \pm b cos x. Where a, b are constants. including polynomials of the form (a + bx^n)^m.$
(iv) Differentiation of trigonometric Functions $ (v) \text{ Product and quotient rules.} \\ \text{ Differentiation of implicit} \\ \text{ functions such as} \\ \text{ ax}^2 + \text{by}^2 = \text{c} \end{aligned} \qquad \text{including polynomials of the form } (a + bx^n)^m. $ $ **(vi) \text{ Differentiation of} \\ \text{ Transcendental Functions} $ $ e.g. \ y = e^{ax}, \ y = \log 3x, \\ \text{ y = ln } x $ $ (vii) \text{ Second order derivatives and} \\ \text{ Rates of change and small} \\ \text{ changes } (\Delta x), \text{ Concept of} \\ \text{ Maxima and Minima} $ $ (i) \text{ The equation of a tangent to} $
 (IV) Differentiation of trigonometric Functions (V) Product and quotient rules. Differentiation of implicit functions such as ax² + by² = c **(vi) Differentiation of Transcendental Functions (vii) Second order derivatives and Rates of change and small changes (Δx), Concept of Maxima and Minima (I) The equation of a tangent to
 (v) Product and quotient rules. Differentiation of implicit functions such as ax² + by² = c **(vi) Differentiation of Transcendental Functions (vii) Second order derivatives and Rates of change and small changes (Δx), Concept of Maxima and Minima e.g. sin x, y = a sin x ± b cos x. Where a, b are constants. including polynomials of the form (a + bx¹)^m. e.g. y = e^{ax}, y = log 3x, y = ln x (i) The equation of a tangent to
(v) Product and quotient rules. Differentiation of implicit functions such as $ax^2 + by^2 = c$ **(vi) Differentiation of Transcendental Functions (vii) Second order derivatives and Rates of change and small changes (Δx), Concept of Maxima and Minima x. Where a, b are constants. including polynomials of the form $(a + bx^n)^m$. e.g. $y = e^{ax}$, $y = log 3x$, $y = log 3x$, including polynomials of the form $(a + bx^n)^m$.
Differentiation of implicit functions such as $ax^2 + by^2 = c$ including polynomials of the form $(a + bx^n)^m$. **(vi) Differentiation of Transcendental Functions (vii) Second order derivatives and Rates of change and small changes (Δx) , Concept of Maxima and Minima including polynomials of the form $(a + bx^n)^m$. e.g. $y = e^{ax}$, $y = log 3x$, $y = log 3x$, including polynomials of the form $(a + bx^n)^m$.
functions such as $ax^2 + by^2 = c$ including polynomials of the form $(a + bx^n)^m$. **(vi) Differentiation of Transcendental Functions (vii) Second order derivatives and Rates of change and small changes (Δx) , Concept of Maxima and Minima including polynomials of the form $(a + bx^n)^m$. e.g. $y = e^{ax}$, $y = log 3x$, $y = log 3x$, including polynomials of the form $(a + bx^n)^m$.
$ax^2 + by^2 = c$ **(vi) Differentiation of Transcendental Functions (vii) Second order derivatives and Rates of change and small changes (Δx), Concept of Maxima and Minima Including polynomials of the form $(a + bx^n)^m$. e.g. $y = e^{ax}$, $y = log 3x$, $y = log 3x$, in the form $(a + bx^n)^m$.
**(vi) Differentiation of Transcendental Functions (vii) Second order derivatives and Rates of change and small changes (Δx), Concept of Maxima and Minima (i) The equation of a tangent to
Transcendental Functions (vii) Second order derivatives and Rates of change and small changes (Δx) , Concept of Maxima and Minima e.g. $y = e^{ax}$, $y = \log 3x$, $y = \ln x$ (i) The equation of a tangent to
(vii) Second order derivatives and Rates of change and small changes (Δx) , Concept of Maxima and Minima e.g. $y = e^{ax}$, $y = \log 3x$, $y = \ln x$ (i) The equation of a tangent to
(vii) Second order derivatives and Rates of change and small changes (Δx) , Concept of Maxima and Minima $y = \ln x$ (i) The equation of a tangent to
(vii) Second order derivatives and Rates of change and small changes (Δx) , Concept of Maxima and Minima $y = \ln x$ (i) The equation of a tangent to
Rates of change and small changes (Δx), Concept of Maxima and Minima (i) The equation of a tangent to
changes (Δx), Concept of Maxima and Minima (i) The equation of a tangent to
Maxima and Minima (1) The equation of a tangent to
a curve at a point.
(ii) Restrict turning points to
maxima and minima.
(iii)Include curve sketching (up
(16)Integration to cubic functions) and linear
(i) Indefinite Integral kinematics.
(i) Integration of polynomials of
the form $ax^n : n \neq -1$ i.e.
the form ax^n ; $n \neq -1$. i.e. $\int x^n dx = \frac{x^{n+1}}{n+1} + c, n \neq -1.$
$\int X \ dX - \frac{1}{n+1} + C, \Pi \neq -1.$
(ii) Integration of sum and
difference of polynomials.
e.g. $\int (4x^3+3x^2-6x+5) dx$
**(iii)Integration of polynomials
of the form ax^n ; $n = -1$.

	(ii) Definite Integral	i.e. $\int x^{-1} dx = \ln x$
	(ii) Definite Integral	
	(iii) Applications of the Definite Integral	Simple problems on integration by substitution. Integration of simple trigonometric functions of the form $\int_a^b \sin x \ dx$.
		(i) Plane areas and Rate of Change. Include linear kinematics. Relate to the area under a curve.
		(ii)Volume of solid of revolution
II. Statistics and Probability		(iii) Approximation restricted to trapezium rule.
(17)Statistics	(i) Tabulation and Graphical representation of data	
	(") Management of Langeline	Frequency tables. Cumulative frequency tables. Histogram (including unequal class intervals). Cumulative frequency curve (Ogive) for grouped data.
	(ii) Measures of location	
	(iii) Measures of Dispersion	Central tendency: mean, median, mode, quartiles and percentiles. Mode and modal group for grouped data from a histogram. Median from grouped data. Mean for grouped data (use of an assumed mean required).
		Determination of: (i) Range, Inter- Quartile and Semi inter-quartile range from an Ogive.
		(ii) Mean deviation, variance and standard deviation for grouped and ungrouped

	(iv)Correlation	data. Using an assumed mean or true mean.
(18)Probability	(i) Meaning of probability.	Scatter diagrams, use of line of best fit to predict one variable from another, meaning of correlation; positive, negative and zero correlations,. Spearman's Rank coefficient. Use data without ties. *Equation of line of best fit by least square method. (Line of regression of y on x).
	(ii) Relative frequency.	Tossing 2 dice once; drawing from a box with or without replacement.
	(iii) Calculation of Probability using simple sample spaces.(iv) Addition and multiplication of probabilities.	Equally likely events, mutually exclusive, independent and conditional events. Include the probability of an event considered as the probability of a set.
	(v) Probability distributions.	
		(i) Binomial distribution $P(x=r)={}^{n}C_{r}p^{r}q^{n-r}, \text{ where}$ $Probability \text{ of success}=p,$ $Probability \text{ of failure}=q,$ $p+q=1 \text{ and n is the}$ $number \text{ of trials. Simple}$ $problems \text{ only.}$
III. Vectors and		**(ii) Poisson distribution $P(x) = \frac{e^{-\lambda} \lambda^{x}}{x!}, \text{ where } \lambda = np,$
Mechanics		n is large and p is small.
(19)Vectors	(i) Definitions of scalar and vector Quantities.	
	(ii) Representation of Vectors.	

(iii) Algebra of Vectors	Representation of vector $\binom{a}{b}$ in the form $a\mathbf{i} + b\mathbf{j}$.
(iii) Algebra of Vectors.	Addition and subtraction, multiplication of vectors by vectors, scalars and equation of vectors. Triangle, Parallelogram and polygon Laws.
(iv) Commutative, Associative and Distributive Properties.	Illustrate through diagram, Illustrate by solving problems in elementary plane geometry e.g con-currency of medians and diagonals.
(v) Unit vectors.	The notation: i for the unit vector $\begin{bmatrix} 1 \\ 0 \end{bmatrix}$ and i for the unit vector $\begin{bmatrix} 0 \\ 1 \end{bmatrix}$ along the x and y axes respectively. Calculation of unit
(vi) Position Vectors.	vector (â) along a i.e. $\hat{a} = \frac{a}{ a }$. Position vector of A relative to
	O is \overrightarrow{OA} . Position vector of the midpoint of a line segment. Relate to coordinates of mid-point of a line segment. *Position vector of a point that divides a line segment internally in the ratio (λ : μ).
(vii) Resolution and Composition of Vectors.	Applying triangle, parallelogram and polygon laws to composition of forces acting at a point. e.g. find the resultant of two forces (12N, 030°) and (8N, 100°) acting at a point. *Find the resultant of vectors by scale drawing.
(viii) Scalar (dot) product and its	Finding angle between two vectors. Using the dot product to

	**(ix) Vector (cross) product and its application.	establish such trigonometric formulae as (i) Cos (a \pm b) = cos a cos b \mp sin a sin b (ii) sin (a \pm b)= sin a cos b \pm sin b cosa (iii) c ² = a ² + b ² - 2ab cos C (iv) $\frac{\sin A}{a} = \frac{\sin B}{b} = \frac{\sin C}{c}$.
(20)Statics	(i) Definition of a force.	
	(ii) Representation of forces.	
	(iii) Composition and resolution of coplanar forces acting at a point.	
	(iv) Composition and resolution of general coplanar forces on rigid bodies.	
	(v) Equilibrium of Bodies.	Apply to simple problems e.g. suspension of particles by strings.
	(vi) Determination of Resultant.	Resultant of forces, Lami's theorem
	(vii) Moments of forces.	Using the principles of moments to solve related problems.
	(viii) Friction.	Distinction between smooth and rough planes. Determination of the coefficient of friction.
(21)Dynamics		

(i) The concepts of motion	The definitions of displacement, velocity, acceleration and speed. Composition of velocities and accelerations.
(ii) Equations of Motion	Rectilinear motion. Newton's laws of motion. Application of Newton's Laws Motion along inclined planes (resolving a force upon a plane into normal and frictional forces). Motion under gravity (ignore air resistance). Application of the equations of motions: V = u + at, S = ut + ½ at ²; v² = u² + 2as.
(iii) The impulse and momentum equations:	Conservation of Linear Momentum(exclude coefficient of restitution). Distinguish between momentum and impulse.
**(iv) Projectiles.	Objects projected at an angle to the horizontal.

1. UNITS

Candidates should be familiar with the following units and their symbols.

(1) Length

1000 millimetres (mm) = 100 centimetres (cm) = 1 metre(m). 1000 metres = 1 kilometre (km)

(2) <u>Area</u>

10,000 square metres $(m^2) = 1$ hectare (ha)

(3) Capacity

```
1000 cubic centimeters (cm^3) = 1 litre (I)
```

(4) Mass

```
1000 milligrammes (mg) = 1 gramme (g)

1000 grammes (g) = 1 kilogramme( kg )

1000 ogrammes (kg) = 1 tonne.
```

(5) Currencies

The Gambia - 100 bututs (b) = 1 Dalasi (D)

Ghana - 100 Ghana pesewas (Gp) = 1 Ghana Cedi (GH¢)

Liberia - 100 cents (c) = 1 Liberian Dollar (LD)

Nigeria - 100 kobo (k) = 1 Naira (\clubsuit)
Sierra Leone - 100 cents (c) = 1 Leone (Le)
UK - 100 pence (p) = 1 pound (£)
USA - 100 cents (c) = 1 dollar (\$)

French Speaking territories 100 centimes (c) = 1 Franc (fr)

Any other units used will be defined.

2. OTHER IMPORTANT INFORMATION

(1) Use of Mathematical and Statistical Tables

Mathematics and Statistical tables, published or approved by WAEC may be used in the examination room. Where the degree of accuracy is not specified in a question, the degree of accuracy expected will be that obtainable from the mathematical tables.

(2) Use of calculators

The use of non-programmable, silent and cordless calculators is allowed. The calculators must, however not have a paper print out **nor be capable of receiving/sending** any information. Phones with or without calculators are not allowed.

(3) Other Materials Required for the examination

Candidates should bring rulers, pairs of compasses, protractors, set squares etc required for papers of the subject. They will **not** be allowed to borrow such instruments and any other material from other candidates in the examination hall.

Graph papers ruled in 2mm squares will be provided for any paper in which it is required.

(4) Disclaimer

In spite of the provisions made in paragraphs 2 (1) and (2) above, it should be noted that some questions may prohibit the use of tables and/or calculators.