#### WOODWORK

# 1. **PREAMBLE**

The course in Woodwork at the Senior High School level is to enable students gain knowledge in the art and craft of woodworking and provide with basic and necessary skills for technological growth. At this level, the knowledge to be acquired will act as an avenue for further growth during and after school.

It is intended to give candidates the opportunity to display detailed knowledge of, and skills in

- (1) technical drawing and designing;
- (2) practical work;
- (3) methods and principles of construction;
- (4) quality control, estimation and costing.

# 2. AIMS

Candidates are expected to demonstrate

- (1) creative ability, mental and practical skills in the use of hand and machine tools for construction of basic items in wood and related materials;
- (2) good basic knowledge of design and reading of working drawings;
- (3) ability to plan and follow a sequence of work operations which are necessary to lead to successful completion of projects;
- (4) awareness of problems relating to wood and the wood industry;
- (5) functional skills capable of providing a means of livelihood in woodworking.

#### 3. **ASSESSMENT OBJECTIVES**

- (1) Candidates should be able to demonstrate knowledge and understanding of:
  - (a) terminologies used in woodwork;
  - (b) materials used in woodwork;
  - (c) care and maintenance of handtools and machines;
  - (d) safety precautions at the workshop;
  - (e) principles of designing and drawing;
  - (f) methods and principles of construction.
- (2) Candidates should be able to demonstrate the ability to:
  - (a) follow a given design brief to produce working drawings;
  - (b) interpret working drawings;
  - (c) use tools, equipment and materials to carry out practical operations in sequential order;
  - (d) prepare surfaces and apply appropriate finishes.

- (3) Candidates should be able to:
  - (a) compare features of different items and make comments or judgment, contrast, justify, support or criticize a job;
  - (b) write appraisal report on artefacts.

# 4. STRUCTURE AND SCHEME OF EXAMINATION

There will be three papers, Papers 1, 2 and 3 all of which must be taken. Papers 1 and 2 will be a composite paper to be taken at one sitting.

- **PAPER 1:** Will consist of forty multiple-choice objective questions all of which must be answered within 40 minutes for 40 marks.
- **PAPER 2:** Will consist of theory and design paper of two sections, Sections A and B, to be taken within 2 hours, 20 minutes.

Section A will be short structured questions put into three parts, Parts I, II and III as follows:

- Part I will be for candidates in Ghana only.
- Part II will be for candidates in Nigeria, Sierra Leone and The Gambia.
- Part III will be for all candidates. It will comprise of two questions out of which all candidates will be required to answer one.

Section B will comprise design and drawing questions, all of which must be answered within 1 hour 40 minutes for 40 marks.

**PAPER 3:** Will be a practical test lasting 3 hours. Candidates will be required to make a test piece for which the appropriate drawings will be supplied. It will carry 100 marks.

# 5. <u>DETAILED SYLLABUS</u>

#### A. <u>PRACTICAL</u>

- 1. The practical activities would require the use of
  - (1) common hand tools:
  - (2) portable power tools and basic woodworking machines;
  - (3) different joints and shapes;
  - (4) nails, screws and other means of fastening.
- 2. Candidates will be required to work from dimensioned sketches,

written descriptions or scaled drawings. They are expected to be able to construct the following joints:

- (a) widening joints e.g. plain/simple butt, dowelled, tongue and grooved, rebated butt, loose tongue, slot screw.
- (b) angle joints for box-like construction, e.g. common and lapped dovetail, pin/comb/finger, dowel, housing, halving and plain mitre.
- (c) Framing joints e.g. Mortice and tenon, bridle, mitre, dowel and halving.
- (d) Candidates will also be expected to be able to perform the following operations:
  - shaping e.g chamfering, rounding, tapering, beveling and splaying;
  - (ii) assembling and finishing e.g testing for squareness, parallelism, use of diagonals, trial assembly, cramping, preparation of surfaces, application of finishes.

# B. THEORY

| TODIC                              | NOTER                                      |
|------------------------------------|--|
| TOPIC                              | NOTES                                      |
| 1. WORKSHOP SAFETY                 |  |
| 1.1 Personal Safety                | Types of safety measures and               |
| Uses of safety equipment; first    |  |
| aid box and its use. Saftey to     |  |
| prevent injury to self and others  |  |
| in the workshop, wearing of        |  |
| protective clothing (e.g. goggles, |  |
| aprons/overalls, masks, boots,     |  |
| helmets, gloves, respirators).     |  |
|                                    |  |
| 1.2 Safety relating to hand tools, | Safety measures in relation to the         |
| machines and workshop              | use of hand tools, machines,               |
| environment.                       | electrical appliances; state of            |
| workshop environment, e.g.         |  |
| lighting, ventilation, exit doors. |  |
|                                    |  |
| 1.3 Safety devices                 | Knowledge of types of safety               |
| block, jigs, fences.               |  |
|                                    |  |
| 1.4 First Aid                      | (a) Knowledge of the contents of a         |
|                                    | First Aid box (i.e lint, scissors,         |
|                                    | pandages, plaster, methylated spirit,      |
| i                                  | odine, cotton wool, forceps).              |
|                                    | (b) Knowledge of the procedure for         |
|                                    | administration of first aid for cuts,      |
| burns, and electric shock.         |  |
| 2. TOOLS                           |  |
|                                    |  |
| 2.1 Hand Toods                     | Identification, classification, sketching, |
|                                    | sharpening, maintenance, storage,          |
| S                                  | safety and use of the following:-          |
|                                    |  |

- (a) Measuring and marking-out tools: rules, calipers, gauges.
- (b) Cutting and shaping tools: saws, planes, chisels, spokesshaves.
- (c) Abrading and scraping tools: files, scrapers.
- (d) Boring tools braces, bits, drills, gimlet, bradawl.
  - (e) Percussion and impelling tools: hammers, screwdrivers, mallet.
  - (f) Holding and suppoting tools: cramps, cutting-board, vices, pincers.

2.2 Portable Power Tools

Identification, maintenance, safety and uses of the following:-

- (a) Planes power hand planer, router planer.
- (b) Saws Jig saw, circular saw.
- (c) Sanders orbital sander, belt sander, drum sander, disc sander.
- (d) Hand drill;
- (e) Spray gun.
- 2.3 Special Purpose Hand Tools

Identification, classification, sketching, maintenance, safety and uses of the following:

- (a) Planes: plough plane, compass plane, router plane.
- (b) Saws: coping saw, fret saw, bow saw, compass saw, pad saw, junior

#### hacksaw.

- (c) Boring bits: expansion bit, forstner bit, countersink bit, auger bit, centre bit, gimlet, brawdal, twist drill.
- (d) Shapers: scrapers, rasps, surform, files.

# 3. WOODWORKING MACHINES

3.1 Types of Machines

Identification, functions of parts, uses and safety precautions relating to the listed machines:

- (a) Grinding wheel.
- (b) Circular saw bench, cross-cut saw, bandsaw, dimension saw.
- (c) Surfacer or jointer, thicknesser.
- (d) Chain, chisels, horizontal borer.
- (e) Lathe, spindle moudler, drum sander, jig saw, router.
- (f) Drilling machine.

| 3.2 Safety Aids            | Uses of guards, jigs, fences, push sticks, push blocks, gauges. |                            |  |  |  |
|----------------------------|---|----------------------------|--|--|--|
| 4. MATERIALS<br>4.1 Timber |   |                            |  |  |  |
| 4.1.1 Classification       |   | (i)<br>(ii)                | Hardwoods and softwoods Differences between hardwoods and structure.   |  |  |
| 4.1.2 Parts of a tree      |   | (i)                        | Identification and functions of the parts of a growing treee, i.e roots,   |  |  |
|                            | trunk and crown.  |                            |  |  |  |
|                            |   | (ii)                       | Identification and functions of the cross-sectional parts of a   |  |  |
|                            |   | layer,                     | tree, i.e bark, bast, cambium annual/growth rings, medullary rays, sapwood,  |  |  |
|                            |   | (iii)                      | heartwood and pith. Effects of the characteristics of the cross-sectional parts of a tree on timber for woodwork.  |  |  |
| 4.1.3 Surface quality      | of timber   |                            | ication of timber by the ing characteristics: grain (i.e straight, inter-lock, wavy, diagonal, etc.). texture figure colour  |  |  |
| 4.1.4 Mechanic properties  |   | hardne                     | tion of the following properties: ess, strength (i.e tensile, essive and shear), elasticity, ness.   |  |  |
| 4.1.5. Conversion of       | timber  |                            | ption and sketching of the ing methods of conversion: plain/through and through/live sawing; tangential/back/flat/rake sawing; quarter/radial/rift sawing; boxed-heart sawing. |  |  |
| 4.1.6 Marketable size      |   | follow<br>Log, b<br>square | ication and sketching of the ing marketable sizes: aulk, plank, strip, batten, , scantling, flitch, board.   |  |  |
| 4.1.7 Seasoning            |   | Descri                     | ption of the following methods   |  |  |

of seasoning:

- (i) natural or open air seasoning;
- (ii) artificial or kiln seasoning;
- water seasoning; (iii)
- chemical seasoning. (iv)
- 4.1.8 Determination of moisture content

Description of the following methods of determining moisture content:

- (i) oven dry method;
- (ii) moisture meter method.
- 4.1.9 Wood Preservation
- (i) Reasons for preserving timber;
- (ii) Types of preservatives tar oil, water borne, organic solvent.
- (iii) Qualities of an ideal preservative.
- (iv) Method of application:
  - (I) Pressure treatment (i.e full cell and empty cell);
- (II) Non-pressure treatment (i.e spraying, impregnation, brushing, dippipng, hot and cold treatment, steeping).
- 4.1.10 Defects in Timber Identification, causes and sketching of the following types of defect in timber:
  - (i) natural defects, e.g. knots, burr, grains.
  - (ii) defects caused by organisms, e.g. rots, bores.
  - (iii) wood processing defect, e.g. diagonal grain, upset, compression shakes.
  - (iv) seasoning defects, e.g splits, warp, shakes, honey combing, case hardening.
- 4.1.11 West African Timber(i) Characteristics, similarities and differences, uses and working qualities of the following West African timbers:

Iroko (Odum), Abura, Mahogany, Obeche (Wawa), Walnut, Afara, Ebony, Danta, Emery, Shedua, Mansonia, Afromosia (kokrodua),

Avodire, Kusia.

- Effects of depletion of timber species (ii)
- 4.1.12 Veneers

Identification, description and sketching of the following:

(i) Methods of production, i.e rotary,

slicing, sawing.
(ii)Types of veneers, i.e face, core and back veneers.

4.1.13 Manufactured boards Identification, description, uses and sketching of: Plywood, blockboard, laminboard, chipboard, particle board, batten board, hardboard, fibre board.

4.2 Surface Decoration

Identification and sketching of tools:
 identification and description of the
 following methods of surface
 decoration: inlaying, veneering
 (hammer and caul, marquetry,
 laminated plastics, edging (i.e solid
 wood, plastics, metals, veneer),
 mouldings (i.e round, ovolo, reeding,
 carvetto/hollow, cyma recta/ogee,
 cyma reversa, scotia, bead, fluting),
 incised and relief carving.

#### 4.3 Non-Wood Material

4.3.1 Metals

- (i) Classification: ferrous and non-ferrous.
- (ii) Types of ferrous metals: low carbon steel dead/mild steel.
- (iii) Types of non-ferrous metals: Aluminium, lead, copper, tin.
- (iv) Physical Properties of metals: hardness/softness.
- (v) Basic chemical characteristics of different metals.

4.3.2 Nails

Identification, description, uses and sketching of: French or wire nails; oval wire nails; lost-head nails; panel pin; veneer pin; cut tack; upholstery nails; roofing nails.

4.3.3 Screws

Identification, description, uses and sketching of: Countersunk head; raised head; round head; Philip's head; coach screws.

4.3.4 Plastics

- (i) Types thermosetting and thermoplastics.
- (ii) Differences between the types and their common properties.
- (iii) Items made from the two types of plastics.

|   | (iv) Uses of plastics.  |  |
|---|---|--|
| 4.3.5 Glass   | Identification and uses of: opaque, transparent and decorative glasses.   |  |
| 4.3.6 Leather   | <ul><li>(i) Types - Natural and artificial.</li><li>(ii) Differences between the types.</li><li>(iii) Uses of leather, e.g furniture, belts, bags.</li></ul>  |  |
| 4.3.7 Abrasives   | Identification, uses and description of process of manufacture of glass paper and garnet paper.   |  |
| 4.3.8 Fittings  | Identification, description, uses and sketching of: locks; hinges; bolts; catches; castors; stays.  |  |
| 4.3.9 Adhesives   | Identification, characteristics, preparation and application, uses, safety precaution during application of: (i) Protein: animal, casein. (ii) Synthetic: urea, phenol, melamine formaldehydes. (iii) Contact: rubber based (Evostick). |  |
| 5. SURFACE PREPARATION  (a) Description of process, tools and materials requried for various surface preparation: planing, scraping, sanding, filling, staining, bleaching, spraying and polishing. |   |  |
| 6. <u>FINISHES</u> use  | Types, characteristics, uses, methods application, safety precautions in the e of the following:  Paints, vanishes, lacquers, polishes, laminated plastics.   |  |
| 7. METHODS OF SHAPING AND BENDING WOOD wo   | Types and description of methods: (i) Obtaining sawn shapes from solid bod. (ii) Shaping by lamination. (iii) Shaping by curved bending.  |  |

8. **WOODWORK JOINTS** 

Classification, uses and sketching of the following:-

(a) angle joints - mortice and tenon,

dowel, dovetails, housing, halving, comb, plain mitre.

- (b) widening joints dowel, tongue and groove, loose tongue, rebated butt, slot screw, plain butt.
- (c) Framing joints:- mortice and tenon, bridle, mitre, dowelled,

halving.

# 9. <u>UPHOLSTERY</u>

(a) Tools
Identification, uses and sketching of the following:tack hammer, strainer, curved and straight needle, tack remover, stapler, sewing machine, webbing

(b) Materials

Types, differences and uses of the following:-

(i) Webbing - twine or cord, thread, spring, jute, hesian or baft.

stretcher, ripping chisel.

- (ii) Padding foam, kapok, feathers, coconut fibres.
- (iii) Covering fabric, natural and artificial leathers.
- (iv) Tacking stud, tack nails.
- (c) (i) Upholstery parts frame, platform, studding/padding, covering.

(ii) Types of platform (fixed and

loose) and their uses.

- 10. <u>**DESIGN ANDMAKING**</u> (a) Factors Affecting Design Fitness for purpose, proportion, material, construction, finishing, cost.
  - (b) (i) Problem identification and writing of brief.
  - (ii) Stating conditions and

constraints relating to suggested solution.

(iii) Writing of specifications (i.e function, materials, construction, cost, ergonomics, aesthetics) for possible solutions.

(c) Generating solutions:

(i) Sources of information to generate ideas in solving problems, e.g. research,

interviews, observations.

- Preliminary sketches (ii) freehand sketching of designs.
- (d) Preparation of Solution:
  - drawing in isometric view; (i)
  - preparation of working (ii) drawing in first and third angle orthographic projection; (iii) preparation of cutting list.
  - Estimation of the cost of materials.
- Making of the artefact: (f)
  - Preparation of the materials; (i)
  - Construction of the artefact: (ii) Working drawings should be

related to the artefact

#### constructed;

- Tools are correctly used;

(e)

- Appropriate joints are used;
- Sequence of operation are followed:
- Safety precautions are observed;
- Appropriate finishes are applied;
  - (g) Evaluating the artefact: the steps are:
    - (i) purpose of the artefact:
    - (ii) specifications of artefact;
    - (iii) whether the artefact serves the

specifications;

- (iv) strengths and weaknesses of artefact;
- (v) areas of possible improvement;
- (vi) judgment as to whether artefact

is excellent, good, satisfactory, poor.

# 11. MENSURATION

- (a) Estimation, calculations involving linear, area, volume, percentage.
  - (b) Calculation of unit and total cost of

a job.

(c) Explanation of the various

elements involved in costing of a

job; i.e materials, labour,

overhead expenses, packaging, sales expenses,

portage,

advertising, net profit, tax.

# 12. WOOD TURNING

(a) The lathe – identification and

function of parts and accessories: bed, stands, headstock, tailstock,

tool rest, centres, face plates.

(b) Wood turning tools: identification

uses and sketching of the following:

- (i) scraping tools.
- (ii) cutting tools.

(c) (i) Types of turning operations: face plate turning, between

centres turning, boring.

(ii) Articles produced from turning operations: flower vase, cup, egg holder, bowl, candle holder, decorative mouldings, Police baton, rolling pin, table legs.

# 13. MASS PRODUCTION

Explanation of stages in mass

production:

(a) Preparation of Design and Working drawings.

(b) Preparation of workshop rod/ setting

out.

(c) Making of prototype.

(d) Preparation of cutting list.

(e) Preparation of materials.

(f) Marking out using template.

(g) Production of parts – use of jigs;

division of labour.

(h) Trial run.

(i) Assembly line – trial assembly

and final assembly.

(i) Application of finishing.

(k) Quality control.

# RECOMMENDED TOOLS, MACHINES AND MATERIALS

# FOR WOOD WORKSHOP

#### A. TOOLS

- (1) Rip saw
- (2) Cross-cut saw
- (3) Panel saw
- (4) Tenon saw
- (5) Dovetail saw
- (6) Coping saw
- (7) Pad saw
- (8) Firmer chisels, 6mm, 10mm, 12mm, 15mm, 20mm

- (9) Bevelled-edge chisels 6mm, 10mm, 12mm, 15mm, 20mm
- (10) Mortise chisels, 6mm, 100mm, 12mm, 15mm and 20mm
- (11) Gouges (Firmer and Scribing) 6mm, 12mm, 15mm, 20mm
- (12) Jack plane (metal)
- (13) Smoothing plane (metal)
- (14) Plough plane
- (15) Rebate plane
- (16) Shoulder plane
- (17) Block plane
- (18) Router plane
- (19) Bullnose plane
- (20) Compass plane
- (21) Spokes have (Round and flat)
- (22) Oil stone and slip stones
- (23) Oil can
- (24) Brace (Ratchet)
- (25) Bits (auger, centre, forstner, gimlet, bradawl, countersink sizes 6mm, 10mm,12mm, 20mm
- (26) Hand drill
- (27) Hand scraper
- (28) Folding rule/Tape measure
- (29) Marking gauge
- (30) Cutting gauge
- (31) Mortise gauge
- (32) Wing compasses
- (33) Marking knife
- (34) Sliding bevel
- (35) Mitre square
- (36) Woodwork bench
- (37) Woodwork bench vice
- (38) Sash cramps
- (39) G-cramps.
- (40) Rack cramps
- (41) Try square
- (42) Warrington hammer
- (43) Claw hammer
- (44) Mallet
- (45) Pincers
- (46) Nail punches
- (47) Crowbar
- (48) Nail cutter
- (49) Glass cutter
- (50) Files
- (51) Rasps

# B. **WOODWORKING MACHINES**

(1) Cross-cut saw

- (2) Circular saw bench
- (3) Dimension saw
- (4) Band saw
- (26) Hand drill
- (27) Hand scraper
- (28) Folding rule/Tape measure
- (29) Marking gauge
- (30) Cutting gauge
- (31) Mortise gauge
- (32) Wing compasses

# C. **PORTABLE POWER TOOLS**

- (1) Plane
- (2) Router
- (3) Jig saw
- (4) Circular saw
- (5) Power drill
- (6) Sanders (orbital, belt, disc)

# D. <u>MATERIALS</u>

- (1) Timber
- (2) Adhesive
- (3) Abrasives
- (4) Nails
- (5) Screws
- (6) Finishes and Thinners
- (7) Plywood (different sizes)
- (8) Permanent Markers